



06 MAY 2008

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. Box 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

WIGGIN AND DANA LLP
ATTENTION: PATENT DOCKETING
ONE CENTURY TOWER, P.O. BOX 1832
NEW HAVEN CT 06508-1832

In re Application of	:	DECISION ON
HELLSTROM et al	:	
Application No. 10/581,761	:	
PCT No.: PCT/SE2004/001814	:	
Int. Filing Date: 06 December 2004	:	
Priority Date: 05 December 2003	:	PETITION UNDER
Attorney's Docket No.: 0208/76419-PCT-US	:	
For: METHOD OF USE...	:	
METHOD OF USE THEREOF	:	37 CFR 1.137 (b)

This decision is in response to applicant's "RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS FILED WITH A PETITION UNDER 37 CFR 1.137(b)," filed on 10 April 2008.

BACKGROUND

On 06 December 2004, this international application was filed, which claimed priority to an application filed on 05 December 2003. The deadline for paying the basic national fee in the United States under 35 U.S.C. 371 and 37 CFR 1.495 was 05 June 2006.

On 05 June 2006, applicants filed a Transmittal letter for entry into the national stage in the United States Patent and Trademark Office (USPTO), which was accompanied by, the basic national fee. No executed declaration or oath was filed at such time.

On 13 February 2007, the United States Designated/Elected Office mailed a Notification of Missing Requirements under 35 U.S.C. 371 (Form PCT/DO/EO/905) indicating that the oath or declaration complying with 37 CFR 1.497(a) and (b), identifying the application by the International application number and International filing date and that a copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 CFR 1.821(e)." The Notice stated that the above items must be furnished within the time period set forth. The notification set a two months time limit or 32 months from the priority date for the application, whichever is later to respond, and that failure to properly respond would result in abandonment.

On 08 February 2008, the United States Patent and Trademark Office mailed the Notification of Abandonment (PCT/DO/EO/909) because applicant has failed to respond to the notification of MISSING REQUIREMENTS (Form PCT/DO/EO/905), mailed 02/13/2007 within the time period set therein.

On 10 April 2008, applicants filed the instant petition under 37 CFR 1.137(b), which was accompanied by the petition fee, an executed declaration and a copy of the sequence listing in computer-readable form (CRF).

DISCUSSION

A grantable petition to revive an abandoned application under 37 CFR 1.137(b) must be accompanied by (1) the required reply, unless previously filed. In a nonprovisional application abandoned for failure to prosecute, the required reply may be met by the filing of a continuing application; (2) the petition fee as set forth in § 1.17(m); and (3) a statement that the entire delay in filing the required reply from the due date for the reply until the filing of a grantable petition pursuant to this paragraph was unintentional. The Commissioner may require additional information where there is a question whether the delay was unintentional; and (4) any terminal disclaimer (and fee as set forth in § 1.20 (d)) required pursuant to paragraph (c) of this section.

Petitioner has provided: (1) the proper reply by submitting a properly executed declaration, but the copy of the sequence listing in computer-readable form is flawed (2) the petition fee set forth in § 1.17(m) and (3) the proper statement under 137(b)(3). In this application, no terminal disclaimer is required.

Accordingly, the petition is deemed to satisfy items (2) - (4) but not item (1) under 37 CFR 1.137(b). As such, the application remains abandoned.

DECISION

The petition under 37 CFR 1.137(b) is **DISMISSED** without prejudice.

If reconsideration of the merits of the petition under 37 CFR 1.137(b) is desired, applicant must file a request for reconsideration within **TWO (2) MONTHS** from the mail date of this Decision. Failure to timely submit the proper reply will result in abandonment of the application. Any reconsideration request should include a cover letter entitled "Renewed Petition Under 37 CFR 1.137(b)." Extensions of time are available under 37 CFR 1.136(a).

Any further correspondence with respect to this matter should be addressed to the Mail Stop PCT, Commissioner for Patents, Office of PCT Legal Administration, P.O. Box 1450, Alexandria, Virginia 22313-1450, with the contents of the letter marked to the attention of the Office of PCT Legal Administration.


Rafael Bacares

PCT Legal Examiner

PCT Legal Office

Telephone: (571) 272-3276

Facsimile : (571) 273-0459

Enc: Error report on flawed CRF

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=4; day=30; hr=20; min=16; sec=49; ms=897;]

=====

Reviewer Comments:

SEQUENCE LISTING

<110> Hellström, Mats
Wallgard, Elisabet
Kalén, Mattias

Please remove the foreign accent marks in the first and third
applicant's names; foreign accent marks are non-ACII characters, which
cannot be processed.

<120> ANGIOGENESIS-AFFECTING POLYPEPTIDES, PROTEINS, AND COMPOSITIONS,
AND METHODS OF USE THEREOF

The above <120> response exceeds the Sequence Rules' required 72-
character line limit: please adjust the line, by inserting hard
returns.

(from the end of Sequence 52)

Ser Cys Ser Leu Glu Pro Ser Ala Pro Glu Asp Leu Leu
850 855 860

Please remove the "1" above, which appears at the end of the submitted
file.

Application No: 10581761

Version No: 1.0

Input Set:

Output Set:

Started: 2008-04-15 14:49:57.985

Finished: 2008-04-15 14:50:00.843

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 858 ms

Total Warnings: 30

Total Errors: 2

No. of SeqIDs Defined: 52

Actual SeqID Count: 52

Error code	Error Description
W 402	Undefined organism found in <213> in SEQ ID (1)
W 402	Undefined organism found in <213> in SEQ ID (2)
W 402	Undefined organism found in <213> in SEQ ID (3)
W 402	Undefined organism found in <213> in SEQ ID (6)
W 402	Undefined organism found in <213> in SEQ ID (7)
W 402	Undefined organism found in <213> in SEQ ID (8)
W 402	Undefined organism found in <213> in SEQ ID (11)
W 402	Undefined organism found in <213> in SEQ ID (12)
W 402	Undefined organism found in <213> in SEQ ID (13)
W 402	Undefined organism found in <213> in SEQ ID (16)
W 402	Undefined organism found in <213> in SEQ ID (17)
W 402	Undefined organism found in <213> in SEQ ID (18)
W 402	Undefined organism found in <213> in SEQ ID (23)
W 402	Undefined organism found in <213> in SEQ ID (24)
W 402	Undefined organism found in <213> in SEQ ID (25)
W 402	Undefined organism found in <213> in SEQ ID (28)
W 402	Undefined organism found in <213> in SEQ ID (29)
W 402	Undefined organism found in <213> in SEQ ID (30)
W 402	Undefined organism found in <213> in SEQ ID (33)
W 402	Undefined organism found in <213> in SEQ ID (34)

Input Set:

Output Set:

Started: 2008-04-15 14:49:57.985
Finished: 2008-04-15 14:50:00.843
Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 858 ms
Total Warnings: 30
Total Errors: 2
No. of SeqIDs Defined: 52
Actual SeqID Count: 52

Error code	Error Description
	This error has occurred more than 20 times, will not be displayed
E 355	Empty lines found between the amino acid numbering and the
E 321	No. of Bases conflict, this line has no nucleotides SEQID (52)

<210> 1
 <211> 736
 <212> DNA
 <213> Murinae gen. sp.

<400> 1
 gtgatccagg atccgaagag gcccgagca ggagcatggc gtcgtcggg tcggtgcagc 60
 agctgccct ggtgctgctg atgttctgtg tggcgagtgc ggcacgggcc agactctact 120
 tccgctcggg ccagacttgc taccatccca ttcgcgggga ccagctggct ctgctggggc 180
 gcaggactta tcctcgcccg catgagtacc tgtccccagc ggatctcccc aagaattggg 240
 actggagaaa tgtgaacggt gtcaactatg ccagcgtcac caggaaccag cacatccac 300
 agtactgtgg ttcctgctgg gccacggca gcaccagtgc catggcagac cgaatcaaca 360
 tcaagaggaa aggtgcatgg cctccatcc tctgtccgt acagaatgtc attgactgtg 420
 gcaatgctgg ctcttctgaa gggggcaatg accttccggt gtgggagtat gccacaagc 480
 atggcatccc cgatgagacc tgcaacaact accaggcaag gaccaagact gtgacaagtt 540
 taaccagtgt gggacctgca ctgaattcaa agagtgtcac accatccaga attacacct 600
 ctggagagtg ggtgattacg gtccctgtcc gggagggaga agatgatggc gagatctatg 660
 ccaatggctc catcagctgc gggataatgg gcaccagaga tgatgtctaa ctacactggg 720
 ggcattctatg ctgagc 736

<210> 2
 <211> 1404
 <212> DNA
 <213> Murinae gen. sp.

<400> 2
 aaaggaccgg gcggggcgct ccgagcgcgt gggcctgcgg gtcgggtcaa gaggtcgaag 60
 gtgctgcgcg tgatccagga tccgaattgg ccgagcag gagcatggcg tcgtcggggt 120
 cgggtgcagca gctgcccctg gtgctgctga tgttctgtt ggcgagtgcg gcacgggcca 180
 gactctactt ccgctcgggc cagacttgct accatcccat tcgcggggac cagctggctc 240
 tgctggggcg caggacttat cctcgccgc atgagtacct gtcccagcg gatctcccca 300
 agaattggga ctggagaaat gtgaacggtg tcaactatgc cagcgtcac aggaaccagc 360
 acatcccaca gtactgtgtt tcctgctggg ccacggcag caccagtgc atggcagacc 420
 gaatcaacat caagaggaaa ggtgcatggc cctccatcct gctgtccgta cagaatgtca 480
 ttgactgtgg caatgctgc tcttctgaag ggggcaatga ccttccggtg tgggagtatg 540

cccacaagca tggcatcccc gatgagacct gcaacaacta ccaggccaag gaccaagact 600
 gtgacaagtt taaccagtgt gggacctgca ctgaattcaa agagtgtcac accatccaga 660
 attacaccct ctggagagtgt ggtgattacg gctccctgtc cgggagggag aagatgatgg 720
 ccgagatcta tgccaatggt cccatcagct gcgggataat ggcaacagag atgatgtcta 780
 actacactgg gggcatctat gctgagcacc aggaccaggc cgttatcaac cacatcatct 840
 ctgtagctgg ctggggtgtc agcaacgatg gcatcgagta ctggattgtc cgaaattcat 900
 ggggcgaacc ctggggtgag aaaggctgga tgaggatcgt gaccagcacc tacaaggagag 960
 gcacagggtga cagctacaac cttgccatcg agagtgcctg cacatttggg gaccccatg 1020
 tttaggtaga tgtctctgga agcagcgtg tgaaccatga cagggagggg tgattaatta 1080
 ctgacactgg acatgtccag acagctataa acagtgttg tggacatgag gaccagagt 1140
 tggactgcat cccgagagga gacggtaaag gatgaaacac aactgcactg ggaccctccg 1200
 ccgtaccctc caggcctgcc tctccacca ctgagccctc caggcctgcc tctcttcta 1260
 cagtgttgc cttcagccac ccggagaaga gagctatggt ttaggacagc tcaacttate 1320
 accagatctg gagccctgga atccatggga ggggggaaca agtccagact gcttaagaaa 1380
 tgagtaaaat atctggcttc ccac 1404

<210> 3
 <211> 306
 <212> PRT
 <213> Murinae gen. sp.

<400> 3

Met Ala Ser Ser Gly Ser Val Gln Gln Leu Pro Leu Val Leu Leu Met
 1 5 10 15

Leu Leu Leu Ala Ser Ala Ala Arg Ala Arg Leu Tyr Phe Arg Ser Gly
 20 25 30

Gln Thr Cys Tyr His Pro Ile Arg Gly Asp Gln Leu Ala Leu Leu Gly
 35 40 45

Arg Arg Thr Tyr Pro Arg Pro His Glu Tyr Leu Ser Pro Ala Asp Leu
 50 55 60

Pro Lys Asn Trp Asp Trp Arg Asn Val Asn Gly Val Asn Tyr Ala Ser
 65 70 75 80

Val Thr Arg Asn Gln His Ile Pro Gln Tyr Cys Gly Ser Cys Trp Ala
 85 90 95

His Gly Ser Thr Ser Ala Met Ala Asp Arg Ile Asn Ile Lys Arg Lys
 100 105 110

Gly Ala Trp Pro Ser Ile Leu Leu Ser Val Gln Asn Val Ile Asp Cys
 115 120 125

Gly Asn Ala Gly Ser Cys Glu Gly Gly Asn Asp Leu Pro Val Trp Glu
 130 135 140

Tyr Ala His Lys His Gly Ile Pro Asp Glu Thr Cys Asn Asn Tyr Gln
 145 150 155 160

Ala Lys Asp Gln Asp Cys Asp Lys Phe Asn Gln Cys Gly Thr Cys Thr
 165 170 175

Glu Phe Lys Glu Cys His Thr Ile Gln Asn Tyr Thr Leu Trp Arg Val
 180 185 190

Gly Asp Tyr Gly Ser Leu Ser Gly Arg Glu Lys Met Met Ala Glu Ile
 195 200 205

Tyr Ala Asn Gly Pro Ile Ser Cys Gly Ile Met Ala Thr Glu Met Met
 210 215 220

Ser Asn Tyr Thr Gly Gly Ile Tyr Ala Glu His Gln Asp Gln Ala Val
 225 230 235 240

Ile Asn His Ile Ile Ser Val Ala Gly Trp Gly Val Ser Asn Asp Gly
 245 250 255

Ile Glu Tyr Trp Ile Val Arg Asn Ser Trp Gly Glu Pro Trp Gly Glu
 260 265 270

Lys Gly Trp Met Arg Ile Val Thr Ser Thr Tyr Lys Gly Gly Thr Gly
 275 280 285

Asp Ser Tyr Asn Leu Ala Ile Glu Ser Ala Cys Thr Phe Gly Asp Pro
 290 295 300

Ile Val
305

<210> 4

<211> 1480

<212> DNA

<213> Homo sapiens

<400> 4

ctgggcccag	gccgaggccg	gggcgggatc	cagagcggga	gccggcgcgg	gatctgggac	60
tccgagcggg	atccggagcg	ggaccagga	gccggcgcgg	ggccatggcg	aggcgcgggc	120
cagggtggcg	gccgcttctg	ctgctcgtgc	tgctggcggg	cgcggcgcag	ggcggcctct	180
acttcgcccg	gggacagacc	tgctaccggc	ctctgcgggg	ggacgggctg	gctccgctgg	240
ggcgcagcac	ataccccccg	cctcatgagt	acctgtcccc	agcggatctg	ccaagagct	300
gggactggcg	caatgtggat	ggtgtcaact	atgccagcat	cacccggaac	cagcacatcc	360
cccaatactg	cggctcctgc	tgggccacg	ccagcaccag	cgctatggcg	gatcggatca	420
acatcaagag	gaagggagcg	tggccctcca	ccctcctgtc	cgtgcagaac	gtcatcgact	480
gcggtaacgc	tggctcctgt	gaagggggta	atgacctgtc	cgtgtgggac	tacgcccacc	540
agcacggcat	ccctgacgag	acctgcaaca	actaccaggc	caaggaccag	gagtgtgaca	600
agtttaacca	atgtgggaca	tgcaatgaat	tcaaagagtg	ccacgccatc	cggaactaca	660
ccctctggag	ggtgggagac	tacggctccc	tctctgggag	ggagaagatg	atggcagaaa	720
tctatgcaaa	tggtcccac	agctgtggaa	taatggcaac	agaaagactg	gctaactaca	780
ccggaggcat	ctatgccgaa	taccaggaca	ccacatatat	aaaccatgtc	gtttctgtgg	840
ctgggtgggg	catcagtgat	gggactgagt	actggattgt	ccggaattca	tggggtgaac	900
catggggcga	gagaggctgg	ctgaggatcg	tgaccagcac	ctataaggat	gggaaggcgc	960
ccagatacaa	ccttgccatc	gaggagcact	gtacatttgg	ggaccccatc	gtttaaggcc	1020
atgtcactag	aagcgcagtt	taagaaaagg	catggtgacc	catgaccaga	ggggatccta	1080
tggttatgtg	tgccaggctg	gctggcagga	actgggggtg	ctatcaatat	tggtggcga	1140
ggacagcgtg	gcactggctg	cgagtgttcc	tgagagtga	aagtgggatg	acttatgaca	1200
cttgccacagc	atggctctgc	ctcacaatga	tgcagtcagc	cacctggtga	agaagtgacc	1260
tgcgacacag	gaaacgatgg	gacctcagtc	ttcttcagca	gaggacttga	tattttgtat	1320
ttggcaactg	tgggcaataa	tatggcattt	aagaggtgaa	agagttcaga	cttatcacca	1380
ttcttatgtc	actttagaat	caagggtggg	ggagggaggg	agggagtggg	cagtttcaaa	1440

tcgcccaagt gatgaataaa gtatctggct ctgcacgaga

1480

<210> 5

<211> 303

<212> PRT

<213> Homo sapiens

<400> 5

Met Ala Arg Arg Gly Pro Gly Trp Arg Pro Leu Leu Leu Leu Val Leu
1 5 10 15

Leu Ala Gly Ala Ala Gln Gly Gly Leu Tyr Phe Arg Arg Gly Gln Thr
20 25 30

Cys Tyr Arg Pro Leu Arg Gly Asp Gly Leu Ala Pro Leu Gly Arg Ser
35 40 45

Thr Tyr Pro Arg Pro His Glu Tyr Leu Ser Pro Ala Asp Leu Pro Lys
50 55 60

Ser Trp Asp Trp Arg Asn Val Asp Gly Val Asn Tyr Ala Ser Ile Thr
65 70 75 80

Arg Asn Gln His Ile Pro Gln Tyr Cys Gly Ser Cys Trp Ala His Ala
85 90 95

Ser Thr Ser Ala Met Ala Asp Arg Ile Asn Ile Lys Arg Lys Gly Ala
100 105 110

Trp Pro Ser Thr Leu Leu Ser Val Gln Asn Val Ile Asp Cys Gly Asn
115 120 125

Ala Gly Ser Cys Glu Gly Gly Asn Asp Leu Ser Val Trp Asp Tyr Ala
130 135 140

His Gln His Gly Ile Pro Asp Glu Thr Cys Asn Asn Tyr Gln Ala Lys
145 150 155 160

Asp Gln Glu Cys Asp Lys Phe Asn Gln Cys Gly Thr Cys Asn Glu Phe
165 170 175

Lys Glu Cys His Ala Ile Arg Asn Tyr Thr Leu Trp Arg Val Gly Asp
180 185 190

Tyr Gly Ser Leu Ser Gly Arg Glu Lys Met Met Ala Glu Ile Tyr Ala
 195 200 205

Asn Gly Pro Ile Ser Cys Gly Ile Met Ala Thr Glu Arg Leu Ala Asn
 210 215 220

Tyr Thr Gly Gly Ile Tyr Ala Glu Tyr Gln Asp Thr Thr Tyr Ile Asn
 225 230 235 240

His Val Val Ser Val Ala Gly Trp Gly Ile Ser Asp Gly Thr Glu Tyr
 245 250 255

Trp Ile Val Arg Asn Ser Trp Gly Glu Pro Trp Gly Glu Arg Gly Trp
 260 265 270

Leu Arg Ile Val Thr Ser Thr Tyr Lys Asp Gly Lys Gly Ala Arg Tyr
 275 280 285

Asn Leu Ala Ile Glu Glu His Cys Thr Phe Gly Asp Pro Ile Val
 290 295 300

<210> 6
 <211> 646
 <212> DNA
 <213> Murinae gen. sp.

<400> 6
 tcctttccta gtctgtcttc agatgaaacc tattctctgc ttgtacaaga accagtagcc 60
 gtcctcaagg ccaacagcgt tggggagcgt tacgaggttt agagacgttt agccagttag 120
 tttaaccaaga ctctttcggg actttcacca tcaatgaatc cagtatagct gattctccaa 180
 gattccctca tagaggaatt ttaattgata catctagaca cttcctgcct gtgaagacaa 240
 ttttaaaaac tctggatgcc atggctttta ataagtttaa tgttcttcac tggcacatag 300
 tggacgacca gtctttccct tatcagagta ccacttttcc tgagctaagc aataagggaa 360
 gctactcttt gtctcatgtc tatacaccaa acgatgtccg gatgggtgtg gactacgccc 420
 ggctccgagg gattcgagtc ataccagaat ttgatacccc tggccatata cagtcttggg 480
 gcaaaggaca gaaaaacctt ctaactocat gttacaatca aaaaactaaa actcaagtgt 540
 ttgggcctgt agacccaact gtaaacacaa cgtatgcatt ctttaacaca tttttcaaag 600

aaatcagcag tgtgtttcca gatcagttca tccacttggg aggaga

646

<210> 7

<211> 1805

<212> DNA

<213> Murinae gen. sp.

<400> 7

ggatgctttc ttcccagcga cccagactgg aaggttggtc caaagactgc ctagccagac	60
tcgcggagca gtcatgccgc agtccccgcg tagcgcccc gggctgctgc tgctgcaggc	120
gctggtgtcg ctagtgtcgc tggccctagt ggccccggcc cgactgcaac ctgcgctatg	180
gcccttcccg cgctcgggtgc agatgttccc gcggctgttg tacatctccg cggaggactt	240
cagcatcgac cacagtccca attccacagc gggcccttcc tgctcgtgc tacaggaggc	300
gtttcggcga tattacaact atgttttttg tttctacaag agacatcatg gccctgctag	360
atttcgagct gagccacagt tgcagaagct cctggtctcc attaccctcg agtcagagtg	420
cgagtccttc cctagtctgt cttcagatga aacctattct ctgcttgtaac aagaaccagt	480
agccgtcttc aaggccaaca gcgtttgggg agcgttacga ggtttagaga cgtttagcca	540
gttagtttac caagactctt tcgggacttt caccatcaat gaatccagta tagctgattc	600
tccaagattc cctcatagag gaattttaat tgatacatct agacacttcc tgctgtgaa	660
gacaatttta aaaactctgg atgccatggc ttttaataag tttaatgttc ttcactggca	720
catagtggac gaccagtctt tcccttatca gagtaccact tttcctgagc taagcaataa	780
gggaagctac tctttgtctc atgtctatac accaaacgat gtccggatgg tgctggagta	840
cgccccgctc cgagggatcc gagtcatacc agaatttgat acccctggcc atacacagtc	900
ttggggcaaa ggacagaaaa accttctaac tccatgttac aatcaaaaaa ctaaaactca	960
agtgtttggg cctgtagacc caactgtaaa cacaacgtat gcattcttta acacattttt	1020
caaagaaatc agcagtgtgt ttccagatca gttcatccac ttgggaggag atgaagtaga	1080
atttcaatgt tgggcatcaa atccaaacat ccaaggtttc atgaagagaa agggcttttg	1140
cagcgatttt agaagactag aatcctttta tattaanaag attttggaat ttatttcac	1200
cttaaagaag aactccattg tttggcaaga agtttttgat gataaggtgg agcttcagcc	1260
gggcacagta gtcgaagtgt ggaagagtga gcattattca tatgagctaa agcaagtcac	1320
aggctctggc ttccttgcca tcccttctgc tcccttggtac ttagacctga tcagctatgg	1380
gcaagactgg aaaaactact acaaagttga gcccttaat tttgaaggct ctgagaagca	1440

gaaacaactt gttattggtg gagaagcttg cctgtgggga gaatttgtgg atgcaactaa 1500
 ccttactcca agattatggc ctcgagcaag cgctgttggg gagagactct ggagccctaa 1560
 aactgtcact gacctagaaa atgcctacaa acgactggcc gtgcaccgct gcagaatggt 1620
 cagccgtgga atagctgcac aacctctcta tactggatac tgtaactatg agaataaaat 1680
 atagaagtga cagacgtcta cagcattcca gctatgatca tgttgattct gaaatcatgt 1740
 aaattaagat ttgttaggct gttttttttt taaataaacc atctttttat tgattgaatc 1800
 tttct 1805

<210> 8

<211> 536

<212> PRT

<213> Murinae gen. sp.

<400> 8

Met Pro Gln Ser Pro Arg Ser Ala Pro Gly Leu Leu Leu Leu Gln Ala
 1 5 10 15

Leu Val Ser Leu Val Ser Leu Ala Leu Val Ala Pro Ala Arg Leu Gln
 20 25 30

Pro Ala Leu Trp Pro Phe Pro Arg Ser Val Gln Met Phe Pro Arg Leu
 35 40 45

Leu Tyr Ile Ser Ala Glu Asp Phe Ser Ile Asp His Ser Pro Asn Ser
 50 55 60

Thr Ala Gly Pro Ser Cys Ser Leu Leu Gln Glu Ala Phe Arg Arg Tyr
 65 70 75 80

Tyr Asn Tyr Val Phe Gly Phe Tyr Lys Arg His His Gly Pro Ala Arg
 85 90 95

Phe Arg Ala Glu Pro Gln Leu Gln Lys Leu Leu Val Ser Ile Thr Leu
 100 105 110

Glu Ser Glu Cys Glu Ser Phe Pro Ser Leu Ser Ser Asp Glu Thr Tyr
 115 120 125

Ser Leu Leu Val Gln Glu Pro Val Ala Val Leu Lys Ala Asn Ser Val
 130 135 140

Trp Gly Ala Leu Arg Gly Leu Glu Thr Phe Ser Gln Leu Val Tyr Gln
145 150 155 160

Asp Ser Phe Gly Thr Phe Thr Ile Asn Glu Ser Ser Ile Ala Asp Ser
165 170 175

Pro Arg Phe Pro His Arg Gly Ile Leu Ile Asp Thr Ser Arg His Phe
180 185 190

Leu Pro Val Lys Thr Ile Leu Lys Thr Leu Asp Ala Met Ala Phe Asn
195 200 205

Lys Phe Asn Val Leu His Trp His Ile Val Asp Asp Gln Ser Phe Pro
210 215 220

Tyr Gln Ser Thr Thr Phe Pro Glu Leu Ser Asn Lys Gly Ser Tyr Ser
225 230 235 240

Leu Ser His Val Tyr Thr Pro Asn Asp Val Arg Met Val Leu Glu Tyr
245 250 255

Ala Arg Leu Arg Gly Ile Arg Val Ile Pro Glu Phe Asp Thr Pro Gly
260 265 270

His Thr Gln Ser Trp Gly Lys Gly Gln Lys Asn Leu Leu Thr Pro Cys
275 280 285

Tyr Asn Gln Lys Thr Lys Thr Gln Val Phe Gly Pro Val Asp Pro Thr
290 295 300

Val Asn Thr Thr Tyr Ala Phe Phe Asn Thr Phe Phe Lys Glu Ile Ser
305 310 315 320

Ser Val Phe Pro Asp Gln Phe Ile His Leu Gly Gly Asp Glu Val Glu
325 330 335

Phe Gln Cys Trp Ala Ser Asn Pro Asn Ile Gln Gly Phe Met Lys Arg
340 345 350

Lys Gly Phe Gly Ser Asp Phe Arg Arg Leu Glu Ser Phe Tyr Ile Lys
355 360 365

Lys Ile Leu Glu Ile Ile Ser Ser Leu Lys Lys Asn Ser Ile Val Trp
370 375 380

Gln Glu Val Phe Asp Asp Lys Val Glu Leu Gln Pro Gly Thr Val Val
385 390 395 400

Glu Val Trp Lys Ser Glu His Tyr Ser Tyr Glu Leu Lys Gln Val Thr
405 410 415

Gly Ser Gly Phe Pro Ala Ile Leu Ser Ala Pro Trp Tyr Leu Asp Leu
420 425 430

Ile Ser Tyr Gly Gln Asp Trp Lys Asn Tyr Tyr Lys Val Glu Pro Leu